

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** **D: Glutoclean Fliesen und Stein Grundreiniger sauer**
GB: Glutoclean Tile & stone basic cleaner acidic
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture**
Cleaning material/ Detergent
Surface cleaner, acidic
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Glutolin Renovierungsprodukte GmbH
Im Schedetal 1
D-34346 Hann.Münden
Telefon: +49 (0) 55 41-70 03-03
www.glutolin.de
info@glutolin.de
Pufas Werk KG
Im Schedetal 1
D-34346 Hann.Münden
Telefon: +49 (0) 55 41 - 70 03 - 01
www.pufas.de
info@pufas.de
WEPOS Chemie GmbH
Textilstr. 2
41751 Viersen
Tel 0049-2162-266269-0
Fax 0049-2162-266269-8
www.wepos-chemie.de
service@wepos-chemie.de
- **Informing department:**
Research & Development
Tel +49 (0) 5541-7003-491
- **1.4 Emergency telephone number:**
Medizinische Notrufnummer Deutschland:
+49 (0)551-19420
Vergiftungsinformationszentrale der Gesundheit Österreich GmbH:
+43 1 406 43 43

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Met. Corr.1 H290 May be corrosive to metals.
Skin Corr. 1A H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms** GHS05
- **Signal word** Danger
- **Hazard-determining components of labelling:**
Isotridecanol, ethoxyliert (>5-20EO)
Phosphorsäure > 25 %

(Contd. on page 2)

Trade name: D: Glutoclean Fliesen und Stein Grundreiniger sauer
GB: Glutoclean Tile & stone basic cleaner acidic

(Contd. of page 1)

· Hazard statements

H290 May be corrosive to metals.
 H314 Causes severe skin burns and eye damage.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
 P102 Keep out of reach of children.
 P103 Read label before use.
 P260 Do not breathe dust/fume/gas/mist/vapours/spray.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P321 Specific treatment (see on this label).
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P405 Store locked up.
 P406 Store in corrosive resistant container with a resistant inner liner.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.
 · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· **Description:** Mixture of the substances listed below with harmless additions.

· Dangerous components:

CAS: 7664-38-2 EINECS: 231-633-2	Phosphorsäure > 25 % ☠ Skin Corr. 1B, H314	< 5%
CAS: 5329-14-6 EINECS: 226-218-8	sulphamidic acid ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	< 10%
CAS: 69011-36-5	Isotridecanol, ethoxyliert (>5-20EO) ☠ Eye Dam. 1, H318	< 5%

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

nonionic surfactants	< 5%
----------------------	------

· **Additional information** For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information

Instantly remove any clothing soiled by the product.
 Take affected persons out of danger area and instruct to lie down.

· After inhalation

In case of unconsciousness bring patient into stable side position for transport.
 Seek medical treatment in case of complaints.
 Supply fresh air.

· After skin contact

Instantly wash with water and soap and rinse thoroughly.
 If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

(Contd. on page 3)

Trade name: D: Glutoclean Fliesen und Stein Grundreiniger sauer
GB: Glutoclean Tile & stone basic cleaner acidic

(Contd. of page 2)

- **After swallowing**
Do not induce vomiting; instantly call for medical help.
Rinse out mouth and then drink plenty of water.
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**
CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- **5.2 Special hazards arising from the substance or mixture**
No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** Dilute with much water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:**
Do not store together with alkalis (caustic solutions).
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **8.1 Control parameters**

· **Components with critical values that require monitoring at the workplace:**

7664-38-2 Phosphorsäure > 25 %

WEL	Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³
-----	---

(Contd. on page 4)

Trade name: D: Glutoclean Fliesen und Stein Grundreiniger sauer
GB: Glutoclean Tile & stone basic cleaner acidic

(Contd. of page 3)

64-17-5 ethyl alcohol

WEL Long-term value: 1920 mg/m³, 1000 ppm

- **Additional information:** The lists that were valid during the compilation were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
 Keep away from foodstuffs, beverages and food.
 Instantly remove any soiled and impregnated garments.
 Wash hands during breaks and at the end of the work.
 Avoid contact with the eyes and skin.
- **Breathing equipment:**
 In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.
- **Protection of hands:**
 Protective gloves.
 The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves** Butyl rubber, BR
- **Penetration time of glove material**
 The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Tightly sealed safety glasses.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Fluid
Colour: Transparent
Smell: Recognisable

· **pH-value at 20 °C:** < 1

· **Change in condition**

Melting point/Melting range: Not determined
Boiling point/Boiling range: 100 °C

· **Flash point:** Not applicable

· **Self-inflammability:** Product is not selfigniting.

· **Danger of explosion:** Product is not explosive.

· **Steam pressure at 20 °C:** 23 hPa

· **Density** Not determined

· **Solubility in / Miscibility with**

Water: Fully miscible

· **Viscosity:**

dynamic: Not determined.
kinematic: Not determined.

· **Solvent content:**

Organic solvents: 3.0 %
Water: 77.3 %

(Contd. on page 5)

Trade name: D: Glutoclean Fliesen und Stein Grundreiniger sauer
GB: Glutoclean Tile & stone basic cleaner acidic

(Contd. of page 4)

- **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with alkali (lyes)
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation**
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation**
Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water.
Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

GB

(Contd. on page 6)

Trade name: D: Glutoclean Fliesen und Stein Grundreiniger sauer
GB: Glutoclean Tile & stone basic cleaner acidic

(Contd. of page 5)

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Smaller quantities can be disposed with household garbage.
- **Uncleaned packagings:**
- **Recommendation:** Packaging can be reused or recycled after cleaning.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

· 14.1 UN-Number	UN3264
· ADR	UN3264
· IMDG, IATA	Void
· 14.2 UN proper shipping name	UN3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, SULPHAMIC ACID)
· ADR	UN3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, SULPHAMIC ACID)
· IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR	
· Class	8 Corrosive substances.
· IMDG, IATA	
· Class	Void
· 14.4 Packing group	
· ADR	II
· IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Warning: Corrosive substances.
· Kemler Number:	8
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, SULPHAMIC ACID), 8, II

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **National regulations**
- **Information about limitation of use:**
 Employment restrictions concerning young persons must be observed.

(Contd. on page 7)

Trade name: D: Glutoclean Fliesen und Stein Grundreiniger sauer
GB: Glutoclean Tile & stone basic cleaner acidic

(Contd. of page 6)

Employment restrictions concerning pregnant and lactating women must be observed.

· **Technical instructions (air):**

Class	Share in %
III	< 5
NK	< 5

- **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H412 Harmful to aquatic life with long lasting effects.

- **Department issuing data specification sheet:** Department of Manufacture.

· **Abbreviations and acronyms:**

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
- ICAO: International Civil Aviation Organisation
- ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent

- * **Data compared to the previous version altered.**